










	Měř.hod.	Jm.hod.	Horní tol.	Dolní tol.	Odchylka
	<b>Celkový výsledek</b>				
	Všechny charakteristiky:	40			
	...v toleranci:	40			
	...Mimo toleranci:	0			
	...Nad výstražnou mezí:	0			
	...Nevypočteno:	0			
	Souř.systémů celkem:	0			
	...Nevypočteno:	0			
	Text.elementů celkem:	0			
	01-X_D220h8 - 1 0.0000	0.0000	0.0000	0.0000	----  0.0000
	02-Z_D220h8 - 1 0.0000	0.0000	0.0000	0.0000	----  0.0000
	03-D220h8 - 1 219.9992	220.0000	0.0000	-0.0720	---- -0.0008
	04-D220h8 - 1 0.0039	0.0000	0.0300		- 0.0039
	05-X_D220h8 - 2 0.0000	0.0000	0.0000	0.0000	----  0.0000
	06-Z_D220h8 - 2 0.0000	0.0000	0.0000	0.0000	----  0.0000
	07-D220h8 - 2 219.9955	220.0000	0.0000	-0.0720	---- -0.0045
	08-D220h8 - 2 0.0093	0.0000	0.0300		-- 0.0093

Náz.souč.  
16-52-0017+

Operátor

Čas  
10:19:23

Datum  
12 Juli 2017



	Měř.hod.	Jm.hod.	Horní tol.	Dolní tol.	Odchylka
	09-Symetria 105f7 do D 0.0112	0.0000	0.0400		-- 0.0112
	10-Vystupok 100f7 - strana D_X 104.9509	105.0000	-0.0360	-0.0710	-- -0.0491
	11-D216n6 - 1 216.0556	216.0000	0.0600	0.0310	--- 0.0556
	12-D216n6 - 1 0.0051	0.0000	0.0120		-- 0.0051
	13-D216n6 - 2 216.0519	216.0000	0.0600	0.0310	-- 0.0519
	14-D216n6 - 2 0.0055	0.0000	0.0120		-- 0.0055
	15-Suosost D216n6 - 1 do A 0.0037	0.0000	0.0200		- 0.0037
	16-Suosost D216n6 - 2 do A 0.0040	0.0000	0.0200		- 0.0040
	17-Uhol kuzel D - polovicny 6°59'50"	7° 0' 0"	0° 2' 0"	-0° 2' 0"	-  -0° 0'10"
	18-R1 195.9994	195.9729	0.0600	-0.0600	-- 0.0265
	19-Y_Rovina 48.5 48.5000	48.5000	0.0000	0.0000	----  0.0000
	20-Uhol 45st - za priemerom A 44°45'19"	45° 0' 0"	0°20' 0"	-0°20' 0"	---  -0°14'41"









Náz.souč.  
16-52-0017+

Operátor

Čas  
10:19:23

Datum  
12 Juli 2017



	Měř.hod.	Jm.hod.	Horní tol.	Dolní tol.	Odchylka
	21-D235h12 234.9296	235.0000	0.0000	-0.4600	--- -0.0704
	22-D240n6 - B1 240.0591	240.0000	0.0600	0.0310	---- 0.0591
	23-D240n6 - B1 0.0028	0.0000	0.0120		- 0.0028
	24-D240n6 - B2 240.0580	240.0000	0.0600	0.0310	---- 0.0580
	25-D240n6 - B2 0.0028	0.0000	0.0120		- 0.0028
	26-Suosost D240n6 - B1 do A 0.0222	0.0000	0.0300		--- 0.0222
	27-Suosost D240n6 - B2 do A 0.0246	0.0000	0.0300		---- 0.0246
	28-D233.5 233.3071	233.5000	0.0000	-0.5000	- -0.1929
	29-D216g6 - 1 215.9849	216.0000	-0.0150	-0.0440	---- -0.0151
	30-D216g6 - 1 0.0062	0.0000	0.0120		--- 0.0062
	31-D216g6 - 2 215.9844	216.0000	-0.0150	-0.0440	---- -0.0156
	32-D216g6 - 2 0.0060	0.0000	0.0120		-- 0.0060









Náz.souč.  
16-52-0017+

Operátor

Čas  
10:19:23

Datum  
12 Juli 2017



	Měř.hod.	Jm.hod.	Horní tol.	Dolní tol.	Odchylka
	33-Suosost D216g6 - 1 do B 0.0090	0.0000	0.0300		-- 0.0090
	34-Suosost D216g6 - 2 do B 0.0027	0.0000	0.0300		- 0.0027
	35-Y_R2 489.6290	489.5000	0.5000	0.0000	--  0.1290
	36-Rozmer 62 - vyska ozubenia_Y 61.9384	62.0000	0.0000	-0.3000	--- -0.0616
	37-Rozmer 609_Y 608.8815	609.0000	0.0000	-0.5000	--- -0.1185
	38-D265h10 264.9411	265.0000	0.0000	-0.2100	-- -0.0589
	39-Uhol kuzela 30st 29°49'35"	30° 0' 0"	0°20' 0"	-0°20' 0"	---  -0°10'25"
	40-Rozmer 121.5_Y 121.8001	121.5000	0.5000	0.0000	- 0.3001